

LIST IV-3

WORK ZONE TRAFFIC CONTROL DEVICES**Arrow Boards**

Model #	BABA Compliant **	App. Date	Manufacturer	Comments/Description
2220/APF	Y2	07/06/1994	Allmand Brothers, Inc.	Solar (75w), trailer, PAR 46 amber LED, 25 lamp, 96"x48" w/2 8D, 12v, heavy-duty, deep cycle batteries.
Eclipse AB2400	Y2	08/01/2016	Allmand Brothers, Inc.	Solar (55w), trailer, PAR 46 amber LED, 15 & 25 lamp, 96"x48" panel.
KKAB-5025	Y2	04/03/2006	K & K Systems, Inc.	Solar (50w), trailer mount, 25 lamp, amber LED.
2001-(15 or 25)L	Y2	05/08/1989	National Signal Inc.	Lombardini Diesel 4.1 HP, trailer, 15 or 25 amber lamp, 96"x48" display w/12v marine deep cycle battery.
30x60-(15 or 25)L	Y2	05/08/1989	National Signal Inc.	Vehicle mount, 15 or 25 amber lamp, 60"x30".
36x72-(15 or 25)L	Y2	05/08/1989	National Signal Inc.	Vehicle mount, 15 or 25 amber lamp, 72"x36".
SunUp CurveTM	Y2	05/06/2002	National Signal Inc.	Solar (150 w), trailer, amber LED, 25 lamp, 96"x48" display w/6 6v, heavy-duty, deep cycle batteries.
AB-0525	Y2	01/07/2002	Solar Technology, Inc.	Silent Sentinel, Solar (50w), trailer, amber LED, 25 lamp, 96"x48" display w/2-6v, heavy-duty, deep cycle batteries.
TC1-25S	Y2	08/02/1999	Trafcon Industries, Inc.	Solar (50w), trailer, PAR 46 amber LED, 25 lamp, 96"x48" w/4 GC-2, 6v, deep cycle batteries
ST-4825	Y2	02/06/2012	Ver-Mac	Solar, trailer, amber LED, 25 par 36 lamp, 96"x48" display
WTSP-LSAC	Y2	05/05/2014	Wanco, Inc.	Solar, trailer, amber LED, 25 lamp, 3 maintenance-free 12 vole, 25 Ah VRLA batteries, 96" x 48" display.
M-90E/F	Y2	04/28/1994	Plasticade	Solar (50w), trailer, amber LED, 25 lamp, 96"x48" w/3-12v, deep cycle batteries.
WAAW-25SB-STD	Y2	06/08/1992	Plasticade	Arrowmaster V, solar (100w), trailer, PAR 46 amber LED, 25 lamp, 96"x48" w/4 deep cycle batteries
M90-EZ	Y2	10/7/2019	Plasticade	Arrow Board
Proline16	Y2	10/7/2019	Plasticade	Arrow Board
T815	Y2	08/03/2020	American Signal Company	15 Lamp Type C Portable Flashing Arrow Panel

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

T825	Y2	08/03/2020	American Signal Company	25 Lamp Type C Portable Flashing Arrow Panel
------	----	------------	-------------------------	--

Automated Flagger Assistance Devices (AFAD)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
W1-AG	Y2	08/16/2006	IntelliStrobe Safety Systems	2 wheel hand cabinet w/4 adjustable stabilization legs(18" x 24" x 38"), 2 section LED head with red/amber balls, wireless transmitter(controller), 6 – foot gate arm.
RCF 2.4	Y2	08/16/2006	North America Traffic Inc.	Trailer-mount, solar, w/1-2 section, LED head with 12", circular red/amber balls, controller, 8 – foot gate arm w/diamond-grade sheeting & 24" x 24" flag.
AF-76	Y2	01/07/2008	Safety Technologies, Inc.	Trailer-mount, 147" x 76" trailer, trailer coupling capable, 40 watt solar power assist., 900 MHz Spread Spectrum comm., 2 – deep cycle marine battery operation, with optional 8 – foot gate arm.
Guardian Smart Flagger, 01	Y2	02/11/2019	Site 2020 Inc	An AFAD that uses a tablet for control augmented with end point cameras to assist the operator there by increasing the safety of the work zone.
AF-54	Y2	10/7/2019	Safety Technologies, Inc.	Trailer-mounted AFAD
AFAD-212	Y2	03/06/2023	Ver-Mac Inc.	Trailer mounted AFAD
WAFD	Y2	8/15/2022	Wanco, Inc.	Battery powered solar, wireless controlled portable automated flagger assistance device, AFAD Trailer.

Barricades, Type III

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
WBT3-BR	Y2	09/06/2005	Korman Signs	Splice plate brackets attaching feet to uprights. Extruded plastic or Alpolic 350 panels.
WBT3-SW	Y2	09/06/2005	Korman Signs	Stub tube welded to attach feet to uprights. Extruded plastic or Alpolic 350 panels.
WBT3-HP	Y2	09/06/2005	Korman Signs	Hinge plate brackets attaching feet to uprights. Extruded plastic of Alpolic 350 panels.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

TD2500	Y2	12/03/2007	Three D Traffic Works, Inc.	Hot rolled, carbon steel, 2" x 2" white square tubing; 3/4" plywood panels 10" x (48", 72", or 96").
--------	----	------------	-----------------------------	--

Longitudinal Channelizing Barricades

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
Guardian 350 Highway Barrier	Y2	02/03/2003	Armorcast Products Company	Water or sand ballasted, polyethylene, highway barrier w/attached, pipe reinforcement for use as a TL-2 or TL-3 longitudinal barrier.
STCR02-100110	Y2	08/01/2011	Lindsay Transportation Solutions/Barrier Systems, Inc.	Safe-T-Curve System: redirective, non-gating, TAU-II crash cushion; low deflection quick-change moveable barrier; and end anchor. Tight curve applications as low as 100 foot radius.
Triton Barrier TL-2	Y2	01/01/1995	Valtir, LLC	Low Density, water ballasted, polyethylene, barrier w/ internal steel frame.
Triton Barrier TL-3	Y2	01/01/1999	Valtir, LLC	Low Density, water ballasted, polyethylene, barrier w/internal steel frame and TL-3 pedestals.
ArmorZone	Y2	08/07/2017	Valmont Highway Technology	High performing, plastic, water-filled, temporary use, approx.. 6 1/2 feet long x 1 1/2 feet wide sections, MASH TL-2 certified; works with approved NCHRP 350 TL-2 certified end treatment.
2001	Y2	03/04/2002	Valtir, LLC	Yodock Barrier, water-filled system
2001-M	Y2	03/04/2002	Valtir, LLC	Yodock Barrier, water-filled system
2001-MB	Y2	09/10/2012	Valtir, LLC	Yodock Metropolitan Barricade, water-filled system. Each section is 72" in length, 18" wide, and 32" high. Requires the utilization of the steel reinforcing kit, otherwise it is just a Channelizing Device.
2001-SL	Y2	04/05/2007	Valtir, LLC	Slim-line barrier, water-filled, interlocking component system.
Yoduck 2001 Model-148010	Y2	12/6/2022	Valtir, LLC	MASH 2016, TL-3 water-filled longitudinal channelizing device. When deployed the units are connected using a plastic coupler.
Yoduck 2001M Model-148006	Y2	12/6/2022	Valtir, LLC	MASH 2016, TL-2 water-filled longitudinal channelizing device. When deployed the units are connected using a plastic coupler.
Yoduck 2001MB Model-148002	Y2	12/6/2022	Valtir, LLC	MASH 2016, TL-2 water-filled longitudinal channelizing device. When deployed the units are connected using a plastic coupler.
SiteGuide Model-621310	Y2	10/6/2022	Valtir, LLC	MASH 2016, TL-3 water-filled longitudinal channelizing device. ADA Compliant.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Message Signs

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
DH1000 Solar ALS	Y2	09/04/1986	ADDCO Traffic Control Group	Solar (320w) assist, trailer, amber LED, Type-II [3-line], 134"x76" display w/8-6v, deep cycle batteries
CMS-GP432T	Y2	04/05/1999	American Signal Company (AMSIG)	Solar (230w) assist, trailer, amber LED, Type-III [full matrix], 84.5"x40" display w/8-6v, deep cycle batteries.
CMS-T331	Y2	02/03/1997	American Signal Company (AMSIG)	Solar (???)w assist, trailer, amber LED, Type-II [3-line], 125.375"x70" display w/??-GC-2, 6v, deep cycle batteries.
CMS-T333	Y2	11/01/2010	American Signal Company (AMSIG)	Solar (240w) assist, trailer, 4 – 30 degree amber LEDs per pixel, Type-III [full matrix], 139.75"x79.5" display w/10 – 6v, deep cycle batteries.
VCMD 1842158	Y2	08/02/2010	K & K Systems, Inc.	Vehicle mount, amber LED, type-II [2-line], 6 – 8 characters/line, 11" character height, 73" x 35" display
VCMD 1848158	Y2	08/02/2010	K & K Systems, Inc.	Vehicle mount, amber LED, type-II [2-line], 8 – 10 characters/line, 11" character height, 82" x 35" display
MB14281	Y2	08/06/2012	K & K Systems, Inc	Solar (220w) assist, trailer, amber LED, Type-III [full matrix], 4-LED pixels, 30 degree viewing angle, 142" x 81" display area, electro-hydraulic raising mechanism.
MB3L	Y2	01/06/2014	K & K Systems, Inc	Solar (220w) assist, trailer, amber LED, 30 degree viewing angle, Type-II [3-line], 8 characters/line, 18" character height, 76" x 131" display, electro-hydraulic raising mechanism.
1020A-4	Y2	09/02/2003	LiteSys, Inc.	LiteReader, Vehicle mount, amber LED, type-II [2-line], 8 10" characters/line, 75" x 31" display.
1020F-4	Y2	05/04/2015	LiteSys, Inc.	LiteReader, Vehicle mount, amber LED, type-III [full matrix], 75 " x 31" display, capable of 2 lines of 4 – 8 10" characters.
1030F-4	Y2	07/09/2007	LiteSys, Inc.	LiteReader, Vehicle mount, amber LED, type-III [full matrix], 75" x 41" display, capable of 3 lines of 4 – 8 10" characters.
Sunray Solar 345/380 ¹	Y2	05/04/1998	National Signal Inc.	Solar (450w) assist, trailer, amber LED, Type-II [3-line], 340-111"x78" display, 345/380-128"x78" display w/8-(4-D) 12v batteries.
Sunray Solar 390 ¹	Y2	10/06/2003	National Signal Inc.	Solar (450w) assist, trailer, amber LED, Type-III [full matrix], 128"x78" display w/8-(4-D) 12v batteries.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

MB-1548	Y2	12/06/2010	Solar Technology, Inc.	Silent messenger, 2-panel solar (150w) assist, trailer, amber LED, Type-III [full-matrix], 126"x76" display, w/8-6v, heavy-duty, deep cycle batteries (GC-2).
MB-2248	Y2	07/12/2010	Solar Technology, Inc.	Silent messenger, 3-panel solar (225w) assist, trailer, amber LED, Type-III [full-matrix], 126"x76" display, w/8-6v, heavy-duty, deep cycle batteries (GC-2).
MB2-2248	Y2	02/06/2001	Solar Technology, Inc.	Silent Messenger II, Solar (225w) assist, trailer, amber LED, Type-III [full-matrix], 92"x54" display w/8-6v, heavy-duty, deep cycle batteries.
MB-3048	Y2	02/06/2001	Solar Technology, Inc.	Silent Messenger, Solar (300w) assist, trailer, amber LED, Type-III [full-matrix], 126"x76" display w/8-6v, heavy-duty, deep cycle batteries.
PCMS-1210	Y2	02/06/2012	Ver-Mac	Solar assist, trailer, amber LED, Type-II [3-line], 8 – 12" x 18" characters per line, 131"x69".
PCMS-1500	Y2	09/10/2012	Ver-Mac	Solar assist, trailer, 4 – amber LEDs per pixel, 30 degree viewing angle LEDs, Type-III [full matrix], 132" x 82" display area, electro-hydraulic raising mechanism.
WTLMB(A or B)	Y2	08/05/2002	Wanco, Inc.	Message Director, Solar (220w) assist, trailer, amber LED, Type II [3-line], 130"x72" display w/8-6v, deep cycle batteries, (A=hydraulic lift; B=hand-operated winch).
WTMMB(A or B)	Y2	02/02/2015	Wanco, Inc.	Solar assist, trailer, 4 – amber LEDs per pixel, Type-III [full matrix], 138" x 75" display area, (A=hydraulic lift; B=hand-operated winch).
SMC 1000HE	Y2	12/06/2010	Plasticade	Solar assist, trailer, amber LED, Type II [3-line], 8 – 18" characters/line, 127"x76" display, automatic illumination intensity.
SMC 1000ST-AL	Y2	04/02/2012	Plasticade	Solar assist, trailer, 5 amber LED pixel, Type II [3-line], 127"x70" display, 8 – 18" characters/line, automatic illumination intensity.
SMC 2000 FM ST	Y2	08/05/2013	Plasticade	Solar assist, trailer, 5 – amber LEDs per pixel, Type-III[full matrix], 133" x 79.5" display, automatic illumination intensity.
WVTM-5C	Y2	06/05/2018	WANCO INC.	Portable changeable message sign with ability to display graphics and characters in five primary colors. 104" x 59" x 6"
VCMD2742158	Y2	10/7/2019	K & K Systems, Inc.	Vehicle Mounted Changeable Message Sign
Sunray 490	Y2	4/13/2020	National Signal Company, Inc.	Trailer Mounted, Portable, Changeable Message Board
Sunray 90	Y2	4/13/2020	National Signal Company, Inc.	Trailer Mounted, Portable, Changeable Message Board
WVMBM (2LP/3lp)	Y2	6/8/2020	Wanco, Inc.	Vehicle Mounted Message Sign

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Miscellaneous

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
ISO9001-2000-ISO14001	Y2	08/04/2008	Bone Safety Signs	Bone Light ACM, aluminum composite substrate made of two sheets of 0.021" aluminum bonded to a thermoplastic core.
RUR48-AL	Y2	09/05/2000	DICKE Tool Company	Roll-Up Sign, 48"x48", fiberglass ribs
C/48-SBFR-3FH-HD	Y2	09/05/2000	Eastern Metal/USA-Sign	48" SuperBrite, Reflective, 3 flag holder, heavy-duty case, roll-up sign.
R/48-SBR-3FH-HD	Y2	09/05/2000	Eastern Metal/USA-Sign	48" SuperBrite, Reflective, 3 flag holder, rigid, heavy-duty case, roll-up sign.
2xx-P-103QR	Y2	05/05/2014	Impact Recovery Systems	IRS 8" x 24" vertical panel with "Portable One Base[103QR]" base, used for lane closures, post and panel is constructed of flexible plastic. (xx = 20 – single left; 21 – single right; 35 – double right/left; 26 – double left/left)
3xx-P-103QR	Y2	05/05/2014	Impact Recovery Systems	IRS 8" x 24" vertical panel with "Portable One Base[103QR]" base, used for lane closures, post and panel is constructed of flexible plastic. (xx = 22 – single left; 23 – single right; 27 – double right/left; 28 – double left/left)
100	Y2	10/06/1997	K & K Systems, Inc.	Safety Assist Light, non-towable, trailer mount; 2-section, 8", head w/ amber lens; strobe mounted to top of head, adjustable head height, flashing beacon.
105 ⁵	Y2	11/03/1998	K & K Systems, Inc.	Solar (50w), Single 8" Red LED, Stop Sign Beacon
106 ⁵	Y2	11/03/1998	K & K Systems, Inc.	Solar (50w), Single 8" Yellow LED, Hazard Identification Beacon
110 ⁵	Y2	11/03/1999	K & K Systems, Inc.	Solar (50w), Double 8" Yellow LEDs, School/Church System
112 ⁵	Y2	11/03/1999	K & K Systems, Inc.	Solar (80w), Double 12" Yellow LEDs, School/Church System
113 ⁵	Y2	11/03/1999	K & K Systems, Inc.	Solar (80w), Double 8" Red LEDs, Stop Sign Beacon
114 ⁵	Y2	11/03/1999	K & K Systems, Inc.	Solar (80w), Double 8" Yellow LEDs
115-S12 ⁵	Y2	11/03/1999	K & K Systems, Inc.	Solar (80w), Single 12" Red LED, Stop Sign Beacon
E115-S12 ⁵	Y2	01/06/2014	K & K Systems, Inc.	Solar (20w), Single 12" Red LED, Stop Sign Beacon, battery included
116-S12 ⁵	Y2	11/03/1999	K & K Systems, Inc.	Solar (80w), Single 12" Yellow LED, Hazard Beacon
E116-S12 ⁵	Y2	01/06/2014	K & K Systems, Inc.	Solar (20W), Single 12" Yellow LED, Hazard Beacon, battery included

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Miscellaneous

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
133	Y2	11/04/2002	K & K Systems, Inc.	Work Zone "B" Light, Solar (10w), 7", flashing, Red LED ball, 1200 MA nickel hydride cells
134	Y2	11/04/2002	K & K Systems, Inc.	Work Zone "B" Light, Solar (10w), 7", flashing, Amber LED ball, 1200 MA nickel hydride cells
ALPOLIC 350	Y2	08/05/2002	Mitsubishi Chemical America, Inc.	Composite Sign Blanks, Temporary or Work-Zone Use Only.
36SBR-FO-4P	Y2	10/01/2001	Signs and Safety Equipment, Inc.	36"x36", Roll-Up, Superbrite, Reflective Sign w/4 DELTA pockets
48SBR-FO-4P	Y2	10/01/2001	Signs and Safety Equipment, Inc.	48"x48", Roll-Up, Superbrite, Reflective Sign w/4 DELTA pockets
2180-322	Y2	08/01/2005	Traffic and Parking Control Company, Inc. [TAPCO]	18 " Blinker-Paddle, STOP(red)/SLOW(orange) paddle, HI sheeting(type-III), red/orange LEDs, single/triple flash modes.
VA-WZ-2472-HI	Y2	9/8/2022	Eastern Metal of Elmira	24" Visual Alert LED Stop/Slow Paddle, HI Sheeting (Type III), 72" Staff
2180-(208/207)	Y2	06/05/2007	Traffic and Parking Control Company, Inc. [TAPCO]	36"/48" STOP, Blinker Signs, LEDs mounted around edge of sign, color matched LED & border, solar assist (13.5 watts), simultaneous flash 50 – 60 fpm, auto dimming, 24/7 operation. ** For Short Term/Temporary use and use in and around work-zones.
SMC4000	Y2	08/01/2017	Work Area Protection Corporation	Full matrix solar message center. Used to alert motorists of road conditions and changes as they occur near construction zones.
SafetyRail	Y2	04/5/2021	Plastic Safety Systems, Inc.	ADA-Compliant Pedestrian Barricade; Meets or exceeds ADA guidelines and MUTCD 2009 edition standards.
SAWS-Solar Advanced Warning System	Y2	03/22/2022	Solar Advanced Warning Systems	Work Zone Egress/Ingress advanced warning device that alerts motorists to work zone vehicles entering the travel lanes.

‡ NCHRP-350 compliant, approved for temporary/emergency use only.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Portable Traffic Signals

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SQ3TS	Y2	05/08/2000	Horizon Signal Technologies, Inc.	Solar (450w), trailer mounted, two head LED traffic signal boom system
SQ3TSAO	Y2	06/07/2016	Horizon Signal Technologies, Inc.	Solar assisted, trailer mounted, two LED signal heads, traffic signal boom system.
SQ2	Y2	07/09/2007	Horizon Signal Technologies, Inc.	Solar, trailer mounted, portable, traffic signal system. Rf, fixed-time, or actuated control, MUTCD compliant; 3-section, 12", r/y/g LEDs.
SQ2AO	Y2	01/09/2017	Horizon Signal Technologies, Inc.	Update to the SQ2; Solar, trailer mounted, portable, traffic signal system. Rf, fixed-time, or actuated control, MUTCD compliant; 3-section, 12", r/y/g LEDs, true green time extension, 4 carts per system.
PTS-2000	Y2	08/06/2012	John Thomas, Inc.	Solar (540w) assist, trailer mounted, interconnect up to 16 phases, 2 – 3 section, 12", r/y/g LED heads. Vehicle actuated via microwave sensor, fixed time, or manual control.
PTL 2.4x	Y2	02/09/2009	North America Traffic, Inc.	Solar (396w), trailer-mount, two-head, 3-section LED signal system, rf, fixed-time, or actuated control, micro-wave vehicle detection, tandem tow capable.
PTL 2.4LD	Y2	08/07/2017	North American Traffic, Inc.	7-Day battery w/solar assist, light duty, daily / short-term setup, 2 – 3 section LED signal heads, radio remote activation, wireless communication up to 1 mile, pre-programmed cycle times.
SQ2AO	Y2	01/09/2017	Horizon Signal Technologies	Temporary Use Portable Work Zone Traffic Signal
PTL2.4LD Portable Traffic Signal	Y2	08/07/2017	North American Traffic	Portable Traffic Signal
STS TESS PTS or STS PTS-1000A	Y2	3/9/2022	Superior Traffic Services	Used in any single lane alternating work zone application for Real-Time Traffic Management System which allows for customization of the system to safety and efficiently control traffic through vehicle detection.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Radar Speed Signs

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
2000R18	Y2	04/03/2006	K & K Systems, Inc.	Solar, trailer-mount, 2 – 18” character, amber LED display, detect/display speeds from 5 – 99 mph.
WDS-TF	Y2	04/02/2018	Wanco, INC.	Portable Speed Display trailer. Radar activated speed display. Red and blue lights are not allowed.
ConSAM	Y2	10/7/2019	Plasticade	Radar Speed Detection and Display trailer
Shield 12 (Model No. 4000561)	Y2	01/06/2021	All Traffic Solutions, Inc.	Driver speed radar feedback sign with 12’ display for roads up to 40 MPH. Strobe lights and camera are not allowed.
Shield 15 (Model No.4000566	Y2	04/06/2021	All Traffic Solutions, Inc.	Driver speed radar feedback sign with 15’ display for roads up to 50 MPH. Strobe lights and camera are not allowed.

Sign Stands (MASH Compliant) (5 FT Min. Clearance Required for Construction Use)

7000 Series	BABA Compliant **	02/03/2020	TrafFix Devices, Inc.	Mash Compliant Aluminum Sign Stand that will accommodate a rollup sign either 36” or 48
SS300	Y2	03/02/2020	Plasticade	Galvanized steel springless compact sign stand holds 36” and 48” roll-up signs 13” above the ground. Built in sign brackets.
SS300A	Y2	03/02/2020	Plasticade	Aluminum springless compact sign stand holds 36” and 48” roll-up signs 13” above the ground. Built in sign brackets.
SS310	Y2	03/02/2020	Plasticade	Powder coated steel single spring compact sign stand holds 36” and 48” roll-up signs 13” above the ground. Built in sign brackets.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

SS310A	Y2	03/02/2020	Plasticade	Aluminum single spring compact sign stand holds 36" and 48" roll-up signs 13" above the ground. Built in sign brackets.
SS340A	Y2	03/02/2020	Plasticade	Aluminum double spring compact sign stand holds 36" and 48" roll-up signs 16" above the ground. Built in sign brackets.
SS410A	Y2	03/02/2020	Plasticade	Aluminum springless medium height sign stand holds 36" and 48" roll-up signs 60" above the ground. Built in sign brackets.
SS520A	Y2	03/02/2020	Plasticade	Aluminum double spring tall height sign stand holds 36" and 48" roll-up signs 84" above the ground. Built in sign brackets.
SSRB800	Y2	03/02/2020	Plasticade	Molded rubber w/ steel base plate sign stand, 40lb base, holds 36" and 48" roll-up signs 13" above the ground. Built in sign brackets.
7000 Series	Y2	03/02/2020	Traffix Devices, Inc.	MASH compliant Aluminum Sign Stand. Will accommodate a 36" or 48" rollup sign.
SS621A	Y2	11/07/2022	Plasticade	Plasticade Sign Stand
SS620A	Y2	11/07/2022	Plasticade	Plasticade Sign Stand
07-816-1	Y2	3/17/2023	Cortina Safety Products	QuadraFlex Single Spring Portable Sign Stand

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Sign Stands
(5 FT Min. Clearance Required for Construction Use)
(Purchased on or before December 31, 2019 with the effective use of the device
terminating on December 31, 2024)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SZ-412-2S	Y2	08/04/2008	Bone Safety Signs	Big Dog Rigid Sign Stand, X-Type, dual spring, for roll-up or rigid signs up to 48" x 48", 12" ground clearance.
SZ-460-2S	Y2	06/08/2009	Bone Safety Signs	X-Type, dual spring, break-away base, for roll-up or rigid signs up to 48" x 60", 60" ground clearance.
SZ-484-2S	Y2	06/08/2009	Bone Safety Signs	X-Type, dual spring, break-away base, for roll-up or rigid signs up to 48" x 60", 84" ground clearance.
DF3000W	Y2	09/05/2000	DICKE Tool Company	DYNAFLEX Portable Sign Stand, 12" panel height, 45"x71" footprint, Quicklock, roll-up signs only.
DF4000	Y2	09/05/2000	DICKE Tool Company	DYNAFLEX Portable Sign Stand, 12" panel height, 52"x90" footprint, roll-up & rigid panels
JBM-TF18RG/RU	Y2	04/03/2006	DICKE Tool Company	Sign Stand, Barrier Mount (concrete median), for rigid & roll-up signs up to 48" x 48", vertical steel coil springs.
TF18RG/RU	Y2	04/3/2006	DICKE Tool Company	Sign Stand, X-Type, for roll-up or rigid signs up to 48" x 48", 18" ground clearance, 2 position height adjustment, vertical coil springs, 51" x 92" footprint.
TF60RG/RU	Y2	04/03/2006	DICKE Tool Company	Sign Stand, X-Type, for roll-up or rigid signs up to 48" x 48", 60" ground clearance, 2 position height adjustment, vertical coil springs, 74" x 135" footprint.
C-202	Y2	04/05/1993	Eastern Metal/USA-Sign	Compact sign stand, 12"-18"
C-301	Y2	07/06/2015	Eastern Metal/USA-Sign	Light-weight, portable sign stand, galvanized steel. Accommodates up to a 48" roll-up sign. Has a single spring – kick release and a min. ground clearance of 12".

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Sign Stands
(5 FT Min. Clearance Required for Construction Use)
(Purchased on or before December 31, 2019 with the effective use of the device
terminating on December 31, 2024)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
C-801	Y2	07/06/2015	Eastern Metal/USA-Sign	Light-weight, portable sign stand, aluminum. Accommodates up to a 48" roll-up sign. Has a single spring – kick release and a min. ground clearance of 12".
E-352	Y2	07/06/2015	Eastern Metal/USA-Sign	Light-weight, portable tri-pod sign stand, galvanized steel. Accommodates up to a 48" rigid sign with a min. ground clearance of 12"
E-353	Y2	07/06/2015	Eastern Metal/USA-Sign	Light-weight, portable tri-pod sign stand, galvanized steel. Accommodates up to a 48" rigid or roll-up sign with ground clearances of 14" or 40".
MBC-12-LS	Y2	10/02/1995	Eastern Metal/USA-Sign	Median-barrier clamp stand, clamping width range of 6"-12".
MBC-15-LS	Y2	10/02/1995	Eastern Metal/USA-Sign	Median-barrier clamp stand, clamping width range of 9"-15".
X-550 series	Y2	10/02/1995	Eastern Metal/USA-Sign	Interstate sign stand, 18", 37"x84"
X-600 series	Y2	04/05/1993	Eastern Metal/USA-Sign	Interstate sign stand, 60", 54"x121"
X-841	Y2	07/06/2015	Eastern Metal/USA-Sign	Over-size, aluminum, X-stand, with 3 – leg release options: T-Pin, Direct-Drive, and Kick-Lever. Accommodates up to a 48" roll-up sign with a ground clearance range of 14" – 120".
X-842	Y2	07/06/2015	Eastern Metal/USA-Sign	Over-size, aluminum, X-stand, with 3 – leg release options: T-Pin, Direct-Drive, and Kick-Lever. Accommodates up to a 48" rigid sign with a ground clearance range of 14" – 84".
X-843	Y2	07/06/2015	Eastern Metal/USA-Sign	Over-size, aluminum, X-stand, with 3 – leg release options: T-Pin, Direct-Drive, and Kick-Lever. Accommodates up to a 48" rigid or roll-up sign with a ground clearance range of 14" – 84"for the rigid and 14" – 120" for the roll-up signs.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Sign Stands
(5 FT Min. Clearance Required for Construction Use)
(Purchased on or before December 31, 2019 with the effective use of the device
terminating on December 31, 2024)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SS1	Y2	03/03/2003	Korman Signs, Inc.	Tripod sign stand for 30"x30" to 48"x60" rigid & roll-up signs. 20 lbs., 47"x52"x52" footprint, 14" sign height.
SS548	Y2	03/03/2003	Korman Signs, Inc.	Flexible sign stand for 30"x30" to 48"x60" rigid & 60"x 60" roll-up signs. 39 lbs., 48"x94" footprint, 21" sign height, quick release pull pins, steel tube legs.
SS548A	Y2	03/03/2003	Korman Signs, Inc.	Flexible sign stand for 30"x30" to 48"x60" rigid & 60"x60" roll-up signs. 29 lbs., 48"x94" footprint, 23" sign height, easy release kick plates, aluminum tube legs.
SS548AE	Y2	03/03/2003	Korman Signs, Inc.	Flexible sign stand for 30"x30" to 60"x60" rigid & roll-up signs @ 19", 30"x30" to 60"x60" roll-up signs @ 60". 48"x94" footprint, easy release kick plates, aluminum tube legs.
SS548C	Y2	03/03/2003	Korman Signs, Inc.	Compact Flexible sign stand for 30"x30" to 48"x60" rigid & 60"x60" roll-up signs. 37 lbs., 48"x96" footprint, 21" sign height, quick release pull pins, steel tube legs.
SS548CA	Y2	03/03/2003	Korman Signs, Inc.	Compact Flexible sign stand for 30"x30" to 48"x60" rigid & 60"x60" roll-up signs. 32 lbs., 48"x96" footprint, 21" sign height, easy release kick plates, aluminum tube legs.
SS548CAE	Y2	03/03/2003	Korman Signs, Inc.	Compact Flexible sign stand for 30"x30" to 60"x60" rigid & roll-up signs @ 19", 30"x30" to 60"x60" roll-up signs @ 60". 48"x96" footprint, easy release kick plates, aluminum tube legs.
SS548CE	Y2	03/03/2003	Korman Signs, Inc.	Compact Flexible sign stand for 30"x30" to 60"x60" rigid & roll-up signs @ 19", 30"x30" to 60"x60" roll-up signs @ 60". 48"x96" footprint, quick release pull pins, steel tube legs.
SS548E	Y2	03/03/2003	Korman Signs, Inc.	Flexible sign stand for 30"x30" to 60"x60" rigid & roll-up signs @ 19", 30"x30" to 60"x60" roll-up signs @ 60". 48"x94" footprint, quick release pull pins, steel tube legs.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Sign Stands
(5 FT Min. Clearance Required for Construction Use)
(Purchased on or before December 31, 2019 with the effective use of the device
terminating on December 31, 2024)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SS548EE	Y2	04/03/2006	Korman Signs, Inc.	Sign Stand for roll-up or rigid signs up to 48" x 60", display height 21" & 60", 59" telescopic legs independently adjustable, dual-staged action springs, 60" x 107" footprint.
SS548UC	Y2	03/03/2003	Korman Signs, Inc.	Ultra Compact sign stand w/springs for roll-up signs, 30"x30" to 60"x60". 28 lbs., 48"x96" footprint, 21" sign height, quick release pull pins, steel tube legs.
SS548UCA	Y2	03/03/2003	Korman Signs, Inc.	Ultra Compact sign stand w/springs for roll-up signs, 30"x30" to 60"x60". 23 lbs., 48"x96" footprint, 21" sign height, easy release kick plates, aluminum tube legs.
SS548UCR	Y2	03/03/2003	Korman Signs, Inc.	Ultra Compact sign stand w/o sprints for roll-up signs, 30"x30" to 60"x60". 21 lbs., 46"x94" footprint, 13" sign height, quick release pull pins, steel tube legs.
SS548UCRA	Y2	03/03/2004	Korman Signs, Inc.	Ultra Compact sign stand w/o springs for roll-up signs, 30"x30" to 60"x60". 16 lbs., 46"x94" footprint, 13" sign height, easy release kick plates, aluminum tube legs.
SS560	Y2	03/03/2003	Korman Signs, Inc.	Heavy Duty, Flexible sign stand for 30"x30" to 60"x60" rigid or roll-up signs. 48 lbs., 64"x132" footprint, 60" sign height, quick release pull pins, steel tube legs.
SS560A	Y2	03/03/2003	Korman Signs, Inc.	Heavy Duty, Flexible sign stand for 30"x30" to 60"x60" rigid or roll-up signs. 39 lbs., 64"x132" footprint, 60" sign height, easy release kick plates, aluminum tube legs.
SS560UCA	Y2	03/03/2003	Korman Signs, Inc.	Ultra Compact sign stand w/springs for 30"x30" to 60"x60" roll-up signs. 29 lbs., 60"x120" footprint, 60" sign height, easy release kick plates, aluminum tube legs.
3612DLKC	Y2	01/06/2014	MDI Worldwide, Traffic Control Products	TrafficMaster, aluminum, portable, for 36" and 48" roll-up signs. 20.5 lbs.
4814DLK	Y2	01/06/2014	MDI Worldwide, Traffic Control Products	WindMaster, aluminum, portable, for 48" x 48" roll-up signs. 20 lbs., 14" sign height, kick-release legs.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Sign Stands
(5 FT Min. Clearance Required for Construction Use)
(Purchased on or before December 31, 2019 with the effective use of the device
terminating on December 31, 2024)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
4814HDK	Y2	01/06/2014	MDI Worldwide, Traffic Control Products	WindMaster, aluminum, portable, for 48" x 48" roll-up signs. 22 lbs., 14" sign height, kick-release legs.
4818SL	Y2	01/08/2018	MDI Worldwide, Traffic Control Products	Windmaster, aluminum, portable, for 48" x 48" roll-up signs. 23 lbs., 14" sign height, kick-release legs, screw-lock universal sign bracket.
4818K	Y2	05/08/1989	MDI Worldwide, Traffic Control Products	WindMaster, Break-Away, for 36"x36" to 48"x48" rigid or roll-up signs. 32 lbs., 39"x81" footprint, 18" sign height, kick-release legs.
4860K	Y2	05/08/1989	MDI Worldwide, Traffic Control Products	WindMaster, Break-Away, for 36"x36" to 48"x48" rigid or roll-up signs. 45 lbs., 56"x123" footprint, 60" sign height, kick-release legs.
4884KET	Y2	01/08/2018	MDI Worldwide, Traffic Control Products	Windmaster, Break-Away, portable, for up to 48"x48" rigid or roll-up signs. 48 lbs., 84" sign height, kick-release telescoping legs.
5012NS	Y2	01/08/2018	MDI Worldwide, Traffic Control Products	Windmaster, aluminum, portable, for up to 48"x48" roll-up signs, 18 lbs., 12" sign height, kick-release telescoping legs, no spring.
5012SS	Y2	01/08/2018	MDI Worldwide, Traffic Control Products	Windmaster, aluminum, portable, for up to 48"x48" roll-up signs, 20 lbs., 12" sign height, kick-release telescoping legs, single spring.
5012SSAL	Y2	03/02/2015	MDI Worldwide, Traffic Control Products	WindMaster, economy, aluminum, portable, for 48" x 48" roll-up signs. 20 lbs., 12" sign height, kick-release legs.
5018K	Y2	01/08/2018	MDI Worldwide, Traffic Control Products	Windmaster, aluminum, portable, for up to 48"x48" rigid or roll-up signs. 32 lbs., 18" sign height, kick-release telescoping legs, dual spring.
C-601	Y2	02/21/2018	Eastern Metal of Elmira	Compact sign stand with aluminum legs, holds 48" rollup sign.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Sign Stands
(5 FT Min. Clearance Required for Construction Use)
(Purchased on or before December 31, 2019 with the effective use of the device terminating on December 31, 2024)

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
C-102	Y2	02/21/2018	Eastern Metal of Elmira	Compact sign stand with galvanized steel legs holds 48" rollup sign.
5012NSAL	Y2	05/10/2018	MDI Worldwide	Portable sign stand with aluminum legs, kick pins, universal screw lock, 12" ground clearance, holds 48" rollup sign.
SZ-460	Y2	11/4/2019	Bone Safety Signs	Springless sign stand. Lightweight design 29.5 lbs. Sign Mounting height 60".48"x48" Rollup.
SZ-412	Y2	11/4/2019	Bone Safety Signs	Springless sign stand. Lightweight design 20 lbs. Sign Mounting height 12".48"x48" Rollup.

Traffic Channelizing Drums

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SD440-HDPE	Y2	03/04/2002	Bent Manufacturing Company, Inc.	High density, 6" bands, w/25, 30, & 40 lb. molded rubber base, sandbag base, 28 lb. molded drop-over base, sand-filled base, or drop-overt truck tire sidewall ring. [Superdome Drum]
SD440-LDPE	Y2	03/04/2002	Bent Manufacturing Company, Inc.	Low density, 6" bands, w/25, 30, & 40 lb. molded rubber base, sandbag base, 28 lb. molded drop-over base, sand-filled base, or drop-overt truck tire sidewall ring. [Superdome Drum]

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Traffic Channelizing Drums

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
FTS-5, The Director	Y2	03/01/2004	Lakeside Plastics, Inc.	11 lb., high density drum w/40 or 42 lb. molded rubber base and w/4-6" bands or Type-III, high intensity sheeting.
SCHD-4-6-HIP, SCLD—4-6-HIP	Y2	03/04/2013	Lakeside Plastics, Inc.	Low or High density, 6" bands.
Lifeguard Channelizer-HDPE	Y2	03/05/2001	Plastic Safety Systems, Inc. (PSS)	High density, 6" bands, recycled truck tire ballast
Lifeguard Channelizer-LDPE	Y2	03/05/2001	Plastic Safety Systems, Inc. (PSS)	Low density, 6" bands, recycled truck tire ballast
Lifeguard II	Y2	02/03/2003	Plastic Safety Systems, Inc. (PSS)	Low or High density, 6" bands, recycled truck tire or 40 lb. rubber molded base
Econocade® II	Y2	08/05/2013	Plasticade	Low or High density polyethylene, 6" bands, 24 lb tire ring ballast with tire locking ring
Rhino	Y2	06/08/2009	Plasticade	High & low density polyethylene, high density polyethylene sand-filled base or 22.5" tire ring base, 10 lbs, 39.75" height (does not include handle).
18000 HDPE	Y2	03/15/1995	TrafFix Devices, Inc.	Two piece, high density, w/2-orange and 2-white, Type-III, 6", sheeting stripes, w/40 lb. standard or 25 lb. recycled rubber base.
B-400/LD 25RB	Y2	05/01/1989	Plasticade	Low Density, 10 lb. drum w/25 lb. rubber base
B-400/LD 40RB	Y2	05/01/1989	Plasticade	Low Density, 10 lb. drum w/40 lb. rubber base
B500LC 4-6" [HI or HIP]	Y2	12/06/2010	Plasticade	Lane Changer; 4-6" HI or HIP sheeting bands, w/25 lb., 35 lb., or 40 lb. rubber base, tire ring base, or plastic base.
Commander Drum	Y2	06/18/2018	Plasticade	Plasticade Commander Traffic Drum
03-780-6FP3M	Y2	06/8/2021	Cortina Safety Products Groups	Channelizing Drum
DRUM-4-6-DGR-MAX DRUM-4-6-7100-MAX	Y2	08/23/2023	Eastern Metal of Elmira	ROADMAX Traffic Drum 9100 Series. Sheeting shall by Type IV with 6" wide stripes.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Traffic Cones

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
SC42-2-60/WH-(11, 15, or 30)	Y2	12/02/2002	Bent Manufacturing Company, Inc.	42" T-Top, stackable cone w/ 1 – 6" & 4" white reflective band and an 11, 15, or 30 lb. base. [Stacker Cone]
RS90045CT3M64	Y2	01/06/2014	JBC Safety Plastic, Inc.	36", 10 lb, PVC injection molded cone w/3M high intensity reflective collar.
3650-10	Y2	04/05/2004	Lakeside Plastics, Inc.	36", 1 Piece PVC.
3650-10-MM	Y2	03/04/2013	Lakeside Plastics, Inc.	36", 1 piece PVC w/1-6" & 1-4" white reflective band, 10 pounds in weight. Cone weights are optional.
Divertor	Y2	08/07/2017	Lakeside Plastics, Inc.	42" cone with 8" handle, stackable, w/16 or 30 lb rubber base, 6" wide reflective sheeting bands.
536 – (3 or 5)	Y2	03/07/2016	Plasticade	36", 1 piece PVC w/1-6" & 1-4" white reflective collar, 10 or 12 pounds in weight.
271284	Y2	07/06/2015	Protection Services, Inc.	42" low density polyethylene cone with either a 16 or 30 lb. rubber base, 6" wide reflective sheeting bands.
7501-36(B)	Y2	04/04/2016	SAS Safety Corporation	36" PVC injection molded cone with 2 reflective bars (6" and 4"). The "B" represents a "bulk quantity".
NG3M36-12	Y2	01/08/2018	Taroko International	36" PVC injection molded cone with 2 reflective bars (6" & 4"). Next generation traffic cone.
TD7500	Y2	04/04/2011	Three D Traffic Works	42" Ringtop stackable cone with a 10, 15, 20, or 30 lb. base.
42266-CRU-(16 or 30)HP	Y2	11/14/1996	TraFFix Devices, Inc.	42" Grabber cone with a 16 or 30 lb. rubber base.
CW3M36-10	Y2	10/10/2017	UAT Supply, LLC	36" cone, 1 piece, 10 lbs, with 3M reflective cone collars.
CW3M36-12	Y2	10/10/2017	UAT Supply, LLC	36" cone, 1 piece, 12 lbs, with 3M reflective cone collars.
36PVCS	Y2	05/08/1989	Plasticade	36", 1 Piece PVC, 10 lb.
NG3M36-10	Y2	11/4/2019	Taroko International	36" Traffic Cone w/6" and 4" 3M reflective collars.
NGCHXXXX	Y2	03/02/2020	Taroko International	42" low density polyethylene cone w/ 6" reflective sheeting. 10,16, and 30lb bases available. Not approved as a drum.
36PVCS6CC4CC-BB	Y2	06/08/2021	Plasticade	36" Black Base Cone, 10 lbs.
36VCH6CC4CC-BB	Y2	6/8/2021	Plasticade	36" Black Base Cone, 12 lbs.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Model #	BABA Compliant **	App. Date	Manufacturer	Comments
42' Traffic Cone Model-650 series	Y2	12/12/2022	Plasticade	MASH accepted, 42' slim traffic cone. Rubber bases come in 10,16, or 30lbs. Type IV ALDOT approved sheeting shall be used.
42' Traffic Cone Model-03-750- series	Y2	10/21/2022	Cortina Safety Products	NCHRP 350 accepted, 42' slim grabber traffic cone. Rubber bases come in 10,16, or 30lbs. Type IV ALDOT approved sheeting shall be used.
Bonecone 3610, Bonecone 3612, BC42Delineator 8, BC42 Delineator 12	Y2	4/10/2023	Bone Safety Signs, LLC	SafetyZone Delineation Line consists of fluorescent orange PVC traffic cones in the following sizes: 36" 10lb base, 36" 12lb base, 42" 8lb base, and 42" 12lb base.
CB36OR12M3	Y2	12/04/2023	TEG Safety, Inc.	TEG Safety HD Series 36-inch PVC Traffic Safety Cone with black base and 6" x 4" Reflective Collars- 12 lbs.
CB36OR10M3	Y2	12/04/2023	TEG Safety, Inc.	TEG Safety HD Series 36-inch PVC Traffic Safety Cone with black base and 6" x 4" Reflective Collars- 10 lbs.
OTC36-64-1-X	Y2	12/08/2023	Xpose Safety	36-inch Traffic Cone, Orange PVC with black base. 10 lbs. with 2 reflective collars.

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Manufacturers List

<i>Manufacturer</i>	<i>Address</i>	<i>Phone</i>	<i>WEB/Contact</i>
3M Traffic Control, Materials Division	563 Cindy Lane Montgomery, AL 36116	Tel: (334) 288-2357 Fax:	E-mail: jcgiddens@mmm.com James C. Giddens
ADDCO Traffic Control Group	240 Arlington Avenue East St. Paul, MN 55117-3908	Tel: (651) 488-8600 Fax: (651) 558-3600	http://www.addco.com/
Allmand Brothers, Inc.	P.O. Box 888 Holdrege, NE 68949	Tel: (800) 562-1373, (308) 995-4495 Fax: (308) 995-5887	http://www.allmand.com/
American Signal Company (AMSIG)	2755 Bankers Industrial Drive Atlanta, GA 30360	Tel: (770) 448-6650, ext 28 Fax: (770) 448-8970	http://www.amsig.com/
Armorcast Products Company	13230 Saticoy Street North Hollywood, CA 91605	Tel: (818) 982-3600 Fax:	
Lindsay Transportation Solutions/Barrier Systems, Inc.	180 River Road Rio Vista, CA 94571	Tel: (707) 374-6800, (888) 800-3691 Fax:	http://www.barriersystemsinc.com
Bent Manufacturing Company BDAA, Inc.	15442 Chemical Lane Huntingdon Beach, CA 92649	Tel: (888) 842-0600, (714) 842-0600 Fax: (888) 842-2368, (714) 842-2959	http://www.bentmfg.com/ E-mail: bmc@bentmfg.com
Bone Safety Signs	6450 Industrial Way Alpharetta, GA 30004	Tel: (800) 873-2399, (770) 333-1635 FAX: (770) 333-1639	http://www.bonesafety.com/ E-mail: sales@bonesafety.com
DICKE Tool Company	1201 Warren Avenue, P.O. Box 518 Downers Grove, IL 60515	Tel: (630) 969-0050 Fax: (630) 969-3973	http://www.dicketool.com/ E-mail: wayne@dicketool.com Wayne Sebasty – Sales Manager
Eastern Metal / USA-SIGN	1430 Sullivan Street Elmira, NY 14901-1698	Tel: (800) 872-7446 [sales] Tel: (607) 734-2295 [plant] Fax: (607) 734-8783	http://www.usa-sign.com/ E-mail: info@usa-sign.com
Horizon Signal Technologies, Inc.	216 Line Road Malvern, PA 19355	Tel: (800) 852-8796 Fax: (610) 687-5123	http://www.horizonsignal.com/
Impact Recovery Systems	4955 Stout Drive San Antonio, TX 78219	Tel: (800) 736-5256; (210) 736-4477 Fax: (210) 734-6448	http://www.impactrecovery.com/
IntelliStrobe Safety Systems	P.O.Box 9187 Springfield, MO 65801	Tel: (417) 883-7720 Fax: (417) 883-7730	http://www.flaggersafety.com/ E-mail: mchurch@intellistrobe.com Contact - Michael A. Church
JBC Plastic Safety, Inc.	16750 Chestnut St. City of Industry, CA 91748	Tel: (866) 742-5522 Fax: (855) 522-6688	http://www.jbcsafety.com/ E-mail: tom@jbcsafety.com (Tom Schultz) or gerry@jbcsafety.com (Gerry Applebaum)

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Manufacturers List

<i>Manufacturer</i>	<i>Address</i>	<i>Phone</i>	<i>WEB/Contact</i>
John Thomas, Inc.	1560 Lovett Drive Dixon, IL 61021	Tel: (888) 447-7263 Fax: (888) 335-3948	http://www.crashcussions.com/
K & K Systems, Inc.	687 Palmetto Road Tupelo, MS 38801-7662	Tel: (888) 414-3003, (662) 566-2025 Fax: (662) 566-7123	http://www.k-k-systems.com/ E-mail: sales@k-k-systems.com
Kimberly-Clark Corporation	1400 Holcomb Bridge Road Roswell, GA 30076	Tel: (800) 255-6401, (770) 587-8000 Fax: (800) 634-9517	http://www.kcprofessional.com/
Korman Signs, Inc.	3029 Lincoln Avenue Richmond, VA 23228-4295	Tel: (800) 296-6050, (804) 262-6050 Fax: (804) 261-1040	http://www.kormansigns.com/ E-mail: korman@kormansigns.com
Lakeside Plastics, Inc.	P.O. Box 2384 Oshkosh, WI 54903-2384	Tel: (920) 235-4513 Fax:	http://www.lakesideplastics.net/
Lindsay Transportation Solutions / Barrier Systems, Inc.	180 River Road Rio Vista, CA 94571	Tel: (888) 800-3691, (707) 374-6800 Fax: (707) 374-6801	http://www.barriersystemsinc.com/
LiteSys, Inc. / Intelicom, Inc.	P.O. Box 239 Belgrade, MT 59714-0239	Tel: (800) 533-7441, (406) 388-9317 Fax: (406) 388-9319	http://litesys.com/ E-mail: info@LiteSys.com
MDI Worldwide, Traffic Control Products	38271 W. Twelve Mile Road Farmington Hills, MI 48331-3041	Tel: (800) 521-6776, (248) 553-1900 Fax: (248) 488-5700	https://www.mditrafficcontrol.com/ E-mail: tcpsales@mdiworld.com
Mitsubishi Chemical America, Inc. Alpolic Composite Materials Division	401 Volvo Parkway Chesapeake, VA 23320	Tel: (800) 422-7270, (757) 382-5700 Fax: (757) 436-1896	http://www.alpolic.com/
National Signal Inc.	2440 Artesia Avenue Fullerton, CA 92833	Tel: (888) 994-0300, (714) 441-7707 Fax: (714) 441-7714	http://www.nationalsignalinc.com/ E-mail: info@nationalsignalinc.com
North America Traffic, Inc.	#7 Petersburg Circle Port Colborne, Ontario L3K5V4	Tel: (877) 352-4626; (905) 835-0800 Fax: (905) 835-0453	http://www.northamericatraffic.com/ E-mail: info@northamericatraffic.com
Plastic Safety Systems, Inc. (PSS)	2444 Baldwin Road Cleveland, OH 44104	Tel: (800) 662-6338, (216) 231-8590 Fax: (216) 231-2702	http://www.plasticsafety.com/
Plasticade	7700 North Austin Avenue Skokie, IL 60077	Tel: (800) 772-0355 Fax: (847) 966-8074	http://www.plasticade.com/
Protection Services, Inc.	1011 Mumma Rd, Suite 101 Lemoyne, PA 17043	Tel: (717) 257-4228 Fax: (717) 236-1281	http://www.protectionservices.com/ E-mail: dmiceli@nesl.com Contact: Douglas Miceli
Safety Technologies, Inc.	28932 Highway 58 Blvd. Red Wind, MN 55066	Tel: (888) 352-4437; (651) 388-5030 Fax: (651) 388-3272	http://www.autoflagger.com/
SAS Safety Corporation	3031 Gardenia Ave Long Beach, CA 90807	Tel: (800) 262-0200; (562) 427-2775 Fax: (800) 244-1938; (562) 427-4646	http://www.sassafety.com E-mail: signsafe@stny.rr.com

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Manufacturers List

<i>Manufacturer</i>	<i>Address</i>	<i>Phone</i>	<i>WEB/Contact</i>
Signs and Safety Equipment, Inc.	P.O. Box 102, 95 Hibbard Road Big Flats, NY 14814	Tel: (607)562-8463 Fax: (607)562-8183	http://www.signssafety.com E-mail: cs@sassafety.com
Solar Technology, Inc.	7620 Cetronia Road Allentown, PA 18106	Tel: (800) 475-5442, (610) 391-8600 Fax: (610) 391-8601	http://www.solartechology.com/
Taroko International	263 ERh-Jen Sec 1, Jen-Te Tianan, Taiwan	Tel: (404) 395-1179	
Valtir, LLC	15601 Dallas Parkway, Suite 525 Addison, TX 75001	Tel: (888) 323-6374	http://www.valtir.com/ email: Paul.Barber@valtir.com
Three D Traffic Works, Inc.	430 N Varney Street Burbank, CA 91502	Tel: (877) 843-9757 Fax: (818) 811-5096	http://www.trafficwks.com/ Email: sales@trafficwks.com
Trafcon Industries, Inc.	81 Texaco Road Mechanicsburg, PA 17055-2623	Tel: (717) 691-8007 Fax: (717) 697-0813	http://www.trafcon.com/
Traffic and Parking Control Company, Inc. [TAPCO] ¹	5100 West Brown Deer Road Brown Deer, WI 53223	Tel: (800)239-0112, (262)814-7000 Fax: (800)444-0331	http://www.tapconet.com/
TraFFix Devices, Inc.	Corporate HQ: 160 Avenida La Pata San Clemente, CA 92673 Regional Sales: 3780 Paul Samuel Road Kennesaw, GA 30152	Tel: (949) 361-5663 Fax: (949) 361-9205	http://www.traffixdevices.com/ David L. Evans – SE Regional Sales Manager Email: devans@traffixdevices.com
UAT Supply, LLC	4010 Earls Court Alpharetta, GA 30004	Tel: (678) 982-8005	http://www.uatsupply.com/ Deniel Mueller – Director of Sales, Central Email: Deniel@uatsupply.com
Valmont Highway Technology	57-65 Airds Road Minto NSW, Australia 2566	Tel. (402) 359-6304	http://www.valmonthighway.com/ Email: info@ValmontHighway.com
Ver-Mac	1781 Bresse Sainte-Foy, Quebec, Canada G2G 2V2	Tel: (888) 488-7446, (418) 654-1303 Fax: (418) 654-0517	http://www.ver-mac.com/
Wanco, Inc.	5870 Tennyson Street Arvada, CO 80003	Tel: (800) 972-0755; (303) 427-5700 Fax: (303) 427-5725	http://www.wanco.com/
Plasticade	2205 Hightower Dr. Garland TX 75041	Tel: (972) 278-0553	http://www.workareaprotection.com/ E-mail: dcomstock@workareaprotection.com (Doug Comstock – Drums and Cones) E-mail: kpipkins@nesl.com (Keith Pipkins – Portable Message & Arrow Boards)

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.

Vendors List

Vendor	Address	Phone	WEB/Contact
Alabama Barricade, Inc.	P.O. Box 832 Trussville, AL 35173	Tel: (205)655-5290 Fax: (205)655-5292	
Jace Chandler & Associates, Inc.	2906 Crescent Avenue Homewood, AL 35209	Tel: (205)879-7336 Fax: (205)879-7356	http://www.icasouth.com E-mail: jchandler@icasouth.com
Korman Signs, Inc.	3029 Lincoln Avenue Richmond, VA 23228-4295	Tel: (804) 262-6050, (800) 296-6050 Fax: (804) 261-1040	http://www.kormansigns.com/ E-mail: korman@kormansigns.com
Ozark Safety Services	552 Oliver Road Montgomery, AL 36117	Tel: (334) 277-6577 Fax: (334) 277-6575	http://www.ozarksafety.net E-mail: rusty@ozarksafety.net Contact: Rusty Baynes
Protection Services, Inc.	1011 Mumma Rd, Suite 101 Lemoyne, PA 17043	Tel: (717) 257-4228 Fax: (717) 236-1281	http://www.protectionservices.com E-mail: dmicelli@nesl.com Contact: Douglas Miceli
SAWS-Solar Advanced Warning System	2757 N. Westmoreland Road Dallas, Texas 75222	Tel: (512) 810-6989	http://www.sawsinc.net Email: dario@sawsinc.net
TranSafe, Inc.	1625 Spectrum Drive, Suite 100 Lawrenceville, GA 30043	Tel: (800, 969-5103, (770) 962-2222 Fax: (770) 513-8881	http://www.transafeproducts.com E-mail: diane@transafeproducts.com
UAT Supply, LLC	4010 Earls Court Alpharetta, GA 30004	Tel: (404) 395-1179	http://www.uatsupply.com/
TEG Safety, Inc.	1081 Ohio Drive Plano, Texas 75093	Tel: (214)-295-9465	http://tegsafety.com E-mail: garywang@tegsafety.com
Xpose Safety	509 Temple Hill Road New Windsor, New York 12553	Tel: (800) 376-8415	http://xposesafety.com E-mail: jonathan@allinsafety.com

Build America, Buy America Act (BABA) Compliant Coding

Y = Yes. Item is BABA compliant.

Y1 = Iron/Steel, Y2 = Manufactured Product, Y3 = Construction Material, Y4 = Exempt

No = Item is not BABA compliant.