

State of Alabama Department of Transportation Master Agreement



CONTRACT INFORMATION

MASTER AGREEMENT NUMBER:

24-003-01

Begin Date: Expiration Date:

1/2/2025 12/31/2025

CONTRACT DESCRIPTION

Steel Sign Supports & Delineators

VENDOR INFORMATION

Name/Address:

Ozark Distribution Services

552 Oliver Road

Montgomery AL. 36117

Contact:

Jeff Webb, Executive Vice President

334-277-6577

jeff@ozarksafety.net

Line#	Description	UOM	Unit Price
1	POST, FLEXIBLE DELINEATOR, PLASTIC 48" H COMPLETE W/GROUND-PENETRATING ANCHOR, W/3" WIDE X 14" HIGH MINIMUN FLAT AREA AT TOP OF POST W/ONE 3" X 9" TYPE III (MIN.) REFLECTIVE SHEETING APPLIED	EACH	\$43.94
2	POST, FLEXIBLE DELINEATOR, PLASTIC 48" H SURFACE MOUNT TYPE, W/3" WIDE X 14" HIGH MINIMUN FLAT AREA AT TOP OF POST W/ONE 3" X 9" TYPE 1II (MIN.) REFLECTIVE SHEETING APPLIED	EACH	\$43,90
3	ANCHOR, FLEXIBLEDELINEATOR POST, REUSEABLE GROUND-PENETRATING FOR MOUNTING FLEXIBLE DELINEATOR POST (ANCHOR ONLY)	EACH	\$16.67
4	POST, FLEXIBLE DELINEATOR, PLASTIC 48" H COMPLETE W/GROUND-PENETRATING ANCHOR, W/3" WIDE X 14" HIGH MINIMUN FLAT AREA AT TOP OF POST W/TWO 3" X 9" TYPE III (MIN.) REFLECTIVE SHEETING APPLIED	EACH	\$43.94
5	BASE, FLEXIBLE DELINEATOR POST, SURFACE-MOUNT BASE W/MOUNTING HARDWARE (PINS, ETC.) FOR MOUNTING FLEXIBLE DELINEATOR POST (BASE ASSEMBLY ONLY).	EACH	\$19.13
6	POST, FLEXIBLE DELINEATOR, PLASTIC ROUND, GROUND MOUNT; 48" ABOVE GROUND W/ONE 3" WRAP TYPE III (MIN.) REFLECTIVE SHEETING (POST ONLY)	EACH	\$27.77
7	POST, FLEXIBLE DELINEATOR, PLASTIC ROUND, GROUND MOUNT; 48" ABOVE GROUND W/TWO 3" WRAP TYPE III (MIN.) REFLECTIVE SHEETING (POST ONLY)	EACH	\$30,93
. 8	POST, FLEXIBLE DELINEATOR, ROUND 48" ABOVE FROUND W/ONE 3" WRAP TYPE III (MIN.) REFLECTIVE SHEETING, COMPLETE W/SURFACE-MOUNT RPST AND BASE.	EACH	\$37.86
9	POST, FLEXIBLE DELINEATOR, ROUND 48" ABOVE FROUND W/TWO 3" WRAP TYPE III (MIN.) REFLECTIVE SHEETING, COMPLETE W/SURFACE-MOUNT RPST AND BASE.	EACH	\$40.13
10	POST, FLEXIBLE DELINEATOR, PLASTIC 48" ABOVE GROUND, FLATTENED TOP, SURFACE MOUNT W/ONE 3" X 9" TYPE III (MIN.) REFLECTIVE SHEETING (POST ONLY)	EACH	\$30,63
11	BASE, PLASTIC FOR MOUNTING SURFACE MOUNT FLEXIBLE DELINEATOR POST, TWIST LOCK (BASE ONLY)	EACH	\$9.92
12	BEAM POST, W6 X 9, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER.	LF	\$50.21
13	BEAM POST, W6 X 9, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER.	LF	\$50.21
14	BEAM POST, W6 X 12, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER.	LF	\$63.79
15	BEAM POST, W6 X 12, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER.	LF	\$63.79
.15	BEAM POST, W6 X 15, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER.	LF	\$79.75
17	BEAM POST, W6 X 15, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER.	LF	\$79.75

e 9	DEAMA DOCT, WIG VAG. TYPE A. CATICEVING ALDOT CTD CRECIFICATIONS & DRAWINGS	-1	
18	BEAM POST, W8 X 18, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	LF	\$ 95.69
100	HARDWARE, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED		,
1	AT TIME OF ORDER.		
ŵ.	BEAM POST, W8 X 18, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
19	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	LF	\$95.69
	HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED		
100 1152	AT TIME OF ORDER,		
(400)	BEAM POST, W8 X 21, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
20	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	LF	\$111.6
	HARDWARE, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED		
1	BEAM POST, W8 X 21, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH		
21	HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED	LF	\$111.6
	AT TIME OF ORDER.		
150	BEAM POST, W10 X 21, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS	1	
12.5	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	- L	
22	HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED	LF	\$111.6
	AT TIME OF ORDER.		
H	BEAM POST, W10 X 21, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
122	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	,,	6444.0
23	HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED	LF	\$111.6
	AT TIME OF ORDER.		
tay " v	BEAM POST, W10 X 26, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
24	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	LF	\$138.2
get or	HARDWARE, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED	"	7130.2
r Beggger	AT TIME OF ORDER.		
A)*	BEAM POST, W10 X 26, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
25	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	l LF I	\$138.2
(T)	HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED	-	7.00.10
	AT TIME OF ORDER.		
	BEAM POST, W12 X 26, TYPE 1, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
26	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	l LF I	\$138.2
1-7-1	HARDWARE, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED		•
	AT TIME OF ORDER.	+	
25-7-4	BEAM POST, W12 X 26, TYPE 2, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS		
27	(CURRENT EDITION), INCLUDING STUB POST, FUSE & HINGE ASSEMBLY, WITH	LF	\$138.2
	HARDWARE. LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED		
95 1 S 105	AT TIME OF ORDER. BEAM POST, W6 X 9, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	+ +	
28	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	EACH	\$47.25
tina a	BEAM POST, W6 X 12, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	+	
29	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	EACH	\$49.6
F10 9	BEAM POST, W6 X 15, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,		
30	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	EACH	\$59.0
	BEAM POST, W8 X 18, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	51011	Aca 70
31	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	EACH	\$63.79
33	BEAM POST, W8 X 21, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	FACIL	ćen c
32	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	EACH	\$82.6
33	BEAM POST, W10 X 22, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	EACH	EACH \$88.6
77	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	EACH	90.00
34	BEAM POST, W10 X 26, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	EACH	\$94.5
	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)	LACIT	777.3
35	BEAM POST, W12 X 26, FUSE AND HINGE PLATE SET, WITH ALL ASSOCIATED HARDWARE,	EACH	\$94.5
35	SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS (CURRENT EDITION)		+3 113
1	BEAM POST, W6 X 9, W6 X 12, W6 X 15, W8 X 18, W8 X 21, SIGN POST AND STUB POST,		4
36	BOLT AND NUT SET, SATISFYING ALDOT STD SPECIFICATIONS & DRAWINGS	EACH	\$53.10
15	(CURRENT EDITION) BEAM POST, W10 X 22, W10 X 26, W12 X 26, SIGN POST AND STUB POST, BOLT AND NUT		
18. 4. 27			

38	BEAM POST, TRANSPO AI6, INCLUDING ANCHOR ASSEMBLY, HINGE HARDWARE ASSEMBLY, HINGE ASSEMBLY, COUPLING AND SPECIAL BOLT ASSEMBLY, BRACKET HARDWARE ASSEMBLY, AND BRACKET SET, LOCATION (IN LINEAR FEET) OF HINGE PLATE AND BRACKET NUMBER WILL BE FURNISHED AT TIME OF ORDER	LF	\$55.75
39	BEAM POST, W6X9, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$63.79
40	BEAM POST, TRANSPO B525, INCLUDING ANCHOR ASSEMBLY, HINGE HARDWARE ASSEMBLY, HINGE ASSEMBLY, COUPLING AND SPECIAL BOLT ASSEMBLY, BRACKET HARDWARE ASSEMBLY, AND BRACKET SET, LOCATION (IN LINEAR FEET) OF HINGE PLATE AND BRACKET NUMBER WILL BE FURNISHED AT TIME OF ORDER	LF	\$57.75
41	BEAM POST, W6X12, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$113.40
42	BEAM POST, W6X15, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$141.75
43	BEAM POST, W8X18, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$170.10
- 44	BEAM POST, W8X21, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$198.45
45	BEAM POST, TRANSPO B650, INCLUDING ANCHOR ASSEMBLY, HINGE HARDWARE ASSEMBLY, HINGE ASSEMBLY, COUPLING AND SPECIAL BOLT ASSEMBLY, BRACKET HARDWARE ASSEMBLY, AND BRACKET SET, LOCATION (IN LINEAR FEET) OF HINGE PLATE AND BRACKET NUMBER WILL BE FURNISHED AT TIME OF ORDER	LF	\$57.75
46	BEAM POST, W10X22, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$207.90
47	BEAM POST, W10X26, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$245.70
48	BEAM POST, W12X26, SATISFYING TRANSO SPECIFICATIONS & DRAWINGS, LOCATION (IN LINEAR FEET) OF FUSE/HINGE PLATE WILL BE FURNISHED AT TIME OF ORDER	LF	\$245.70