



Kay Ivey  
GOVERNOR

**ALABAMA**  
**DEPARTMENT OF TRANSPORTATION**

**AERONAUTICS BUREAU**  
**1409 COLISEUM BOULEVARD**  
**MONTGOMERY, ALABAMA 36110**  
PHONE (334) 242-6820  
FAX (334) 353-6540



John R. Cooper  
TRANSPORTATION DIRECTOR

September 4, 2019

The Honorable Ray Nelson  
Mayor of Fayette  
102 Second Avenue, SE  
Fayette, Alabama 35555

**Subject: Annual Inspection Report**  
**Fayette Municipal (Richard Arthur Field) Airport (M95)**

Dear Mayor Nelson:

An inspection of the Fayette Municipal (Richard Arthur Field) Airport was conducted by personnel of the Alabama Department of Transportation Aeronautics Bureau on September 4, 2019. The purpose of the inspection was to update the information currently on file regarding the airport and to ascertain compliance with the rules and regulations of the Alabama Department of Transportation governing licensed public-use airports within the State of Alabama.

Attached you will find a copy of the Annual Inspection Report. As noted in the report, the airport **meets** the requirements for the issuance of an operating license. The license is being issued with no limitations. A signed license document will be mailed separately within several weeks.

If you should have any questions concerning the inspection or corrective actions, please do not hesitate to contact the Aeronautics Bureau at (334) 242-6820.

Sincerely,

John C. Eagerton IV, D.P.A.  
Chief, Aeronautics Bureau

Copy: Mr. Rans Black, FAA/ADO  
Mr. Ryan Constans, FAA/ADO  
Ms. Natalie Hobbs, P.E., Goodwyn, Mills and Cawood

# Annual Inspection Report

September 4, 2019



***Fayette Municipal (Richard Arthur Field)  
Airport (M95)  
Fayette, Alabama***

**Annual Inspection Report  
Fayette Municipal (Richard Arthur Field) Airport (M95)  
Fayette, Alabama**

9/4/2019

**TABLE OF CONTENTS**

<b>INTRODUCTION</b>	<b>PAGE 1</b>
<b>INSPECTION METHODOLOGY</b>	<b>PAGE 1</b>
<b>LICENSE STATUS</b>	<b>PAGE 2</b>
<b>APPROACH / DEPARTURE PATHS</b>	<b>PAGE 2</b>
<b>PRIMARY SURFACE</b>	<b>PAGE 4</b>
<b>RUNWAY SAFETY AREA</b>	<b>PAGE 5</b>
<b>AIRPORT MARKINGS</b>	<b>PAGE 6</b>
<b>WIND DIRECTION INDICATOR</b>	<b>PAGE 8</b>
<b>AIRPORT LIGHTING</b>	<b>PAGE 9</b>
<b>RUNWAY, TAXIWAY AND APRON CONDITIONS</b>	<b>PAGE 9</b>
<b>FUELING AREA REQUIREMENTS</b>	<b>PAGE 11</b>
<b>PROHIBITED ACTIVITIES</b>	<b>PAGE 12</b>
<b>SUMMARY</b>	<b>PAGE 13</b>
<b>APPENDIX 1</b>	<b>PAGE 14</b>

# **Annual Inspection Report Fayette Municipal (Richard Arthur Field) Airport (M95) Fayette, Alabama**

9/4/2019

## **Introduction:**

**Code of Alabama 23-1-357(c).** The department may perform such acts, issue and amend such orders and make, promulgate, or amend general or special rules, regulations, and procedures and establish minimum standards, consistent with the provisions of this article as it shall deem necessary to carry out the provisions of this article and to perform its duties hereunder, all commensurate with and for the purpose of protecting and insuring the general public interest, health, welfare, and safety. (Act 2000-220, 10.)

In accordance with the provisions of the Code of Alabama 23-1-357(c) an inspection of the Fayette Municipal (Richard Arthur Field) Airport was conducted by Mr. Ethan Tharpe of the Alabama Department of Transportation Aeronautics Bureau on September 4, 2019.

The corrective actions that may be prescribed in this inspection report do not relieve the airport owner from compliance with any other Federal, State or local laws, ordinances or regulations that may be applicable. It is the responsibility of the airport owner to be aware of and obey all Federal, State or local laws, ordinances or regulations that may have a bearing on the corrective actions that may be specified in this report.

## **Inspection Methodology:**

The inspection of the required State Approach/Departure Path and Federal Runway Protection Zones was accomplished using approved engineering methods and equipment. The angles, locations and heights of trees or other objects within these areas were derived using a Theodolite and electronic distance measuring device.

All other areas of the inspection were conducted visually and photographed for reference purposes.

The FAA Airport Design Standards referred to in this report were taken from the Airport Layout Plan (ALP) dated September 2012.

**Annual Inspection Report  
Fayette Municipal (Richard Arthur Field) Airport (M95)  
Fayette, Alabama**

9/4/2019

**License Status:**

**Code of Alabama 23-1-375(a).** ...a person or municipality may not operate an airport, restricted landing area, or other air navigation facility without a license issued by the department.

Based upon the findings of the inspection conducted on September 4, 2019, it was determined that the airport **meets** the requirements for the issuance of an operating license.

*The inspection was conducted on the airport under the provisions of the Administrative Code for the following areas:*

**1. Approach and Departure Paths  
Administrative Code 450-9-1-.12(1)  
(See Appendix 1)**

**State Licensing Standards:**

- For all hard surface runways, the approach and departure path begin 200 feet from the runway end (runway threshold).
- For all hard surface runways with a displaced threshold, the approach and departure path begin at the point of displacement (See Appendix 1).
- The approach and departure path for all runways slopes up at a ratio of 20:1.
- All penetrations of the approach and departure paths, whether natural or manmade, constitute an obstruction to navigation and must be removed.
- The land beneath the approach and departure path must be controlled by the airport owner. This is accomplished by ownership of the property in fee simple or by written perpetual agreement with the owner of the land.

**Inspection Results:**

- Runway 18 – No obstructions (See Photo #1).
- Runway 36 – No obstructions (See Photo #2)



**Annual Inspection Report  
Fayette Municipal (Richard Arthur Field) Airport (M95)  
Fayette, Alabama**

9/4/2019

**Photo #1 – Runway 18 Approach**



**Photo #2 – Runway 36 Approach**





# Annual Inspection Report Fayette Municipal (Richard Arthur Field) Airport (M95) Fayette, Alabama

9/4/2019

## 2. Primary Surface Administrative Code 450-9-1-.12(2)

### State Licensing Standards:

- Primary Surface (See Appendix 1): The primary surface is 250 feet wide, centered on the runway centerline and extends 200 feet past the end of the marked runway. The primary surface is required to be free of all obstructions, manmade or natural. The only allowable objects are runway lights, guidance signs, or navigation equipment that by function is required to be within the primary surface boundaries.

### Inspection Results:

- The primary surface meets state licensing requirements.
- Excess vegetation causing limited visibility of runway lighting. (See Photo #3).

**Photo #3 – Primary Surface**



### Maintenance:

- Cut grass.

**Annual Inspection Report  
Fayette Municipal (Richard Arthur Field) Airport (M95)  
Fayette, Alabama**

9/4/2019

**3. Runway Safety Area  
Administrative Code 450-9-1-.12(3)**

**State Licensing Standards:**

- Runway Safety Area (Appendix 1): All runways are required to maintain an obstruction free area adjacent to each runway. This area is 120 feet wide, centered on the runway centerline, and extends for a distance of 200 feet past the runway end. The area must be compacted and graded smooth with no ruts, humps, depressions or other potentially hazardous surface variations. The slope along the longitudinal centerline shall not exceed a rise or fall of three percent in elevation relative to the runway end elevation. The lip from the top of the pavement to the grade adjacent to the runway should not exceed 3 inches.

**Inspection Results:**

- The runway safety area meets state licensing requirements.



**Annual Inspection Report**  
**Fayette Municipal (Richard Arthur Field) Airport (M95)**  
**Fayette, Alabama**

9/4/2019

**4. Airport Markings**  
**Administrative Code 450-9-1-.12(4)**

**State Licensing Standards:**

- Airport Markings: All runways are required to be marked in a manner identifying the boundaries of the landing areas. The runway markings must be painted white and be maintained in a legible condition.

**Inspection Results:**

- The Runway markings are in **Good** condition. (See Photo #4)
- Hold Short Line is severely faded. (See Photo #5)

**Photo #4 – Runway 18 Markings**



**Annual Inspection Report  
Fayette Municipal (Richard Arthur Field) Airport (M95)  
Fayette, Alabama**

9/4/2019

**Photo #5 – Hold Short Line**



**Maintenance Required:**

- Remark Hold Short line



**Annual Inspection Report**  
**Fayette Municipal (Richard Arthur Field) Airport (M95)**  
**Fayette, Alabama**

9/4/2019

**5. Wind Direction Indicator**  
**Administrative Code 450-9-1-.12(5)**

**State Licensing Standards:**

- Wind Direction Indicators: All airports are required to have an operational wind direction indicator. It must be installed in a highly visible area and free from obstructions to ensure true wind direction and velocity. Night operations require the indicator be lighted.

**Inspection Results:**

- The wind direction indicator is in **GOOD** condition (See Photo #6).
- Segmented circle is faded and should be repainted.

**Photo #6 – Wind Direction Indicator**



**Maintenance Required:**

- Paint segmented circle.

**Annual Inspection Report**  
**Fayette Municipal (Richard Arthur Field) Airport (M95)**  
**Fayette, Alabama**

9/4/2019

**6. Airport Lighting**  
**Administrative Code 450-9-1-.12(6)**

**State Licensing Standards:**

- Airport Lighting: Runway lights and a lighted wind direction indicator are required for night operations. A rotating beacon is suggested. All runway, threshold, and taxiway lighting shall be maintained in operational condition and shall not be obscured by natural growth such as grass and/or weeds.

**Inspection Results:**

- An inspection of the lighting system had the following results:

Runway Lights	1 inoperable
Taxiway Lights	0 inoperable
Threshold Lights	0 inoperable
PAPI	0 inoperable
REIL	N/A

**Required Action:**

- Repair/Replace inoperable lighting components.

**7. Runway, Taxiway and Apron Conditions**  
**Administrative Code 450-9-1-.12(7)**

**State Licensing Standards:**

- Runway, Taxiway and Apron Conditions: All airport pavement surfaces associated with aircraft operations must be kept smooth and free of any defect or obstruction that could damage an aircraft. The lip of the airport pavement surfaces must not exceed three (3) inches in elevation from the top of the pavement to the shoulder. The drop should only be enough to allow sufficient drainage and not pose a control problem for aircraft exiting the runway. The aircraft parking apron is for the operation and parking of aircraft only and should be smooth and free of obstructions or defects that could cause damage to aircraft during operations.



# Annual Inspection Report Fayette Municipal (Richard Arthur Field) Airport (M95) Fayette, Alabama

9/4/2019

## **Inspection Results:**

- An inspection of the airport pavement surfaces had the following results:

<b>Ramp</b>	<b>POOR.</b> Widespread cracking is visible on the surface of the ramp. (See Photo #7)
<b>Taxiways</b>	<b>GOOD</b>
<b>Runway</b>	<b>GOOD</b>

**Photo #7 – Runway Surface Cracking**



## **Required Action:**

- The planned rehabilitation for the taxiway/apron should continue to be a priority project for the airport.

# Annual Inspection Report Fayette Municipal (Richard Arthur Field) Airport (M95) Fayette, Alabama

9/4/2019

## 8. Fueling Area Requirements Administrative Code 450-9-1-.12(8)

### State Licensing Standards:

- Signs should be posted prohibiting open flames or smoking in fueling areas. The fueling facility must be labeled indicating the type fuel being dispensed.
- Grounding cables must be available.
- A fire extinguisher approved for the purpose of extinguishing petroleum product fires available during all fueling operations.
- Serviceable hoses and connections that would preclude a rupture or leaking of fuel.

### Inspection Results:

- The fueling area meets the requirements established by the Alabama Department of Transportation Aeronautics Bureau. However, the State of Alabama Department of Agriculture and Industries may have additional requirements for fueling systems that were not considered during this inspection.

**Photo #8 – Fueling Area**





# Annual Inspection Report Fayette Municipal (Richard Arthur Field) Airport (M95) Fayette, Alabama

9/4/2019

## 9. Prohibited Activities Administrative Code 450-9-1-.16

### State Licensing Standards:

- Prohibited Activities: The use of any portion of the aircraft operations area, or airport property within the boundaries of the imaginary surfaces of a licensed airport for any purpose other than the operation of aircraft shall be deemed a non-aeronautical activity and is prohibited.

### Inspection Results:

- Unauthorized access by dirt road through airport property, potentially crossing runway. (See Photo #9)

**Photo #9 – Unauthorized access**



### Maintenance:

- Prevent all unauthorized access.

**Annual Inspection Report  
Fayette Municipal (Richard Arthur Field) Airport (M95)  
Fayette, Alabama**

9/4/2019

**Summary:**

The table below summarizes items noted in this report:

**Inspection Summary**

<b>Inspection Area</b>	<b>Violation/Maintenance</b>	<b>Corrective Action</b>
Airport Markings	Maintenance	Replace markings in accordance with FAA AC 150/5340-1M.
Airport Lighting	Maintenance	Repair/Replace inoperable lighting components.
Airport Surface Conditions	Maintenance	The planned rehabilitation for the taxiway/apron should continue to be a priority project for the airport.
Prohibited Activities	Maintenance	Prevent all unauthorized access


Please contact Mr. Ethan Tharpe of the Aeronautics Bureau of the Alabama Department of Transportation at (334) 242-6820 with questions concerning the Annual Inspection Report.



# Annual Inspection Report Fayette Municipal (Richard Arthur Field) Airport (M95) Fayette, Alabama

9/4/2019

Approach and Departure Path Dimensions			
Inner Width	Outer Width	Length	Acreage
250 Feet	450 Feet	1,000 Feet	8.04 Acres
Primary Surface Dimensions			
250 Feet Wide Centered Along Runway Centerline			
Extending 200 Feet Past the Runway End			
Runway Safety Area Dimensions			
120 Feet Wide Centered Along Runway Centerline			
Extending 200 Feet Past the Runway End			



## APPENDIX 1