Alabama Department of Transportation

Reverse Laning of Interstate 65

Exit 37 Interchange Team Leader Checklist – Location #4

Note: The steps in this checklist have been numbered to match the master checklist. Steps from the master checklist that are not included in this checklist are noted.

General

- Do not let traffic at your location enter the contraflow lanes unless you have contacted the Area Maintenance Engineer and received approval to do so.
- Make sure your vehicle is equipped with an ALDOT two-way radio. This will allow you to communicate when you are in areas that have limited SouthernLINC coverage.
- This checklist contains references to the Area Maintenance Engineer (AME). The AME will
 designate someone on his/her staff as your contact for communication. Unless you are
 advised differently at a later time, that person will be your point of contact anytime there is
 communication between you and the AME.

AME Contact:	Radio #:

- When reporting events to the AME, include the time at which the event occurred.
- When reporting times, use the time shown on your SouthernLINC unit.
- Team Members are to print and carry a copy of the Master Checklist in order to better follow the overall progress of plan, especially during those steps that are omitted from this individual checklist. The Master Checklist should be printed on 11x17 paper for best viewing.
- Team Members are to carry State Highway Maps for distribution to travelers as needed. When they are available, Team Members are to also carry copies of the ALDOT Hurricane Evacuation Brochures for distribution to travelers.
- Team Members should be readily identifiable by travelers as ALDOT employees. Wear safety
 vests and caps with ALDOT stencils during warm weather. During inclement weather, wear
 the reversible rain jacket previously supplied.
- When contraflow is used, it should be scheduled for daytime hours. However, Team
 Members should arrive on-site prepared for an extended period of operation should traffic
 conditions warrant it. For planning purposes, bring sufficient food, clothing, medicines, etc.,
 for an additional 12 hours of operation.



Level 1 (Beginning of Hurricane Season)

No action required.

*** Steps not included in this checklist: 1

Level 2 (Hurricane Watch declared)

	Co	<u>mpleted</u>	<u>Date/Time</u>	Activity
2.				The Team Leader is notified by the Central Office that a hurricane watch is in effect. Team Leader is advised that he/she is on-call.
**	**	Steps	not include	ed in this checklist: 3 and 4
5.				The Team Leader contacts the Assistant Team Leader.
6.				The Team Leader makes sure that the following minimum items are on-hand for him/herself and for the Assistant Team Leader: 1) safety vests, 2) flashlights, 3) extra batteries, 4) traffic flags, 5) rainsuits, 6) cooler with drinks, 7) traffic counter. 8) first aid kit and 9) food.
<u>Level</u>	3	(Hurric	ane Warni	ng Declared)
	Co	mpleted	<u>Date/Time</u>	Activity
7.				The Team Leader is notified by the Central Office that a hurricane warning is in effect. The Team Leader is provided with most current information on hurricane location, speed, strength and expected time and location of landfall.
**	**	Steps	not include	ed in this checklist: 8 thru 10
11	1.			The Team Leader contacts the Assistant Team Leader. Team Members are to travel as needed so that they are not more than two hours away from their assigned location.
12	2.			The Team Leader contacts the Central Office and advises their status and location from which they will mobilize and provides phone, radio and Southern LINC numbers by which they can be reached.
**	**	Steps	not include	ed in this checklist: 13 thru 17
Level	4	(Imple	mentation	of Reverse Laning)
18	3.			The Central Office notifies the Team Leader that I-65 will be reversed, relays the time that the reversal will start and establishes the arrival time at the assigned location.



Location #4 - Exit 37 Date Printed: 06/16/22 Interchange Team Leader Checklist
Effective Date: 05/04/2022

<u>Cc</u>	mpleted	<u>Date/Time</u>	Activity
19.			The Team Leader contacts the Assistant Team Leader, advises that I-65 will be reversed and relays the designated start time and arrival time.
***	Steps	not include	ed in this checklist: 20 thru 21
22.			The Team Leader and the Assistant Team Leader arrive at their assigned location.
23.			The Team Leader reports to the Mobile Area Maintenance Engineer that they are on site.
***	Steps	not include	ed in this checklist: 24
25.			The Team Leader confers with local Mobile Area Maintenance personnel and confirms that all traffic control devices are on site and ready to be placed into final position when needed.
26.			The Team Leader contacts the Mobile Area Maintenance Engineer and confirms that the reverse laning procedure is ready to be implemented at the assigned location. Team leader advises Mobile Area Maintenance Engineer as to availability of DPS troopers at that location.
***	Steps	not includ	ed in this checklist: 27 thru 29
30.			The Mobile Area Maintenance Engineer notifies the Team Leader to begin the reverse laning procedure.
***	Steps	not include	ed in this checklist: 31
32.			I-65 South on-ramp will be barricaded and no traffic allowed to enter.
33.			I-65 South will be closed by placing DPS vehicles and other traffic control devices across the traffic lanes.
34.			I-65 South traffic will be diverted off the interstate and onto the interchange ramp.
***	Steps	not include	ed in this checklist: 35 thru 39
40.			The Team Leader notifies the Mobile Area Maintenance Engineer that the traffic is diverted off I-65 SB and that the ramp onto I-65 SB is barricaded.
***	Steps	not include	ed in this checklist: 41 thru 42



Alabama DOT I-65 Reverse Laning Plan

Location #4 - Exit 37 Interchange Team Leader Checklist
Date Printed: 06/16/22 Effective Date: 05/04/2022

<u>C</u>	ompleted	Date/Time	Activity	
43.			The Mobile Area Maintenance Engineer notifies to the Assistant Team Leader is to leave Location # I-65 SB to Location #1 in a DPS vehicle.	
44.			The Assistant Team Leader rides south on I-65 S DPS vehicle. The Assistant Team Leader in tremain behind any traffic that is encountered interchange is reached, it is known that the secondar. The Assistant Team Leader is to take not impediment to reversed traffic flow.	he DPS vehicle is to ed so that as each Iment just traveled is
45.			The Assistant Team Leader from Location #4 Leader at each location as he/she passes while ric in a DPS vehicle. Any problems, incidents, ve shoulders, etc., between this location and the location are included in this verbal report.	ding south on I-65 SB hicles parked on the
			TL 3:	Radio:
			TL 2:	Radio:
***	Steps	not includ	ed in this checklist: 46	
47.			The Assistant Team Leader from Location #8 ar and reports to the Team Leader. Any problem parked on the shoulders, etc., between Location are included in this verbal report.	s, incidents, vehicles
			ATL 8:	Radio:
48.			The Assistant Team Leader from Location #4 arri Location #1 and reports to the Team Leader incidents, vehicles parked on the shoulders, etc., and Location #2 are included in this verbal report	there. Any problems, between Location #1
			TL 1:	Radio:
49.			The Team Leader notifies the Mobile Area Maint the Assistant Team Leader from Location #8	has arrived via DPS
50.			vehicle and that the I-65 SB barricades will be rer The Assistant Team Leader from Location #8 lear rides northbound on I-65 SB in DPS vehicle.	
51.			The barricades from I-65 SB are removed. The entrance ramp to I-65 SB remain in place.	ne barricades on the
52.			The Assistant Team Leader from Location #4 learides northbound on I-65 SB in DPS vehicle.	aves Location #1 and



Alabama DOT I-65 Reverse Laning Plan

Location #4 - Exit 37 Interchange Team Leader Checklist Date Printed: 06/16/22 Effective Date: 05/04/2022

<u>Cc</u>	mpleted	Date/Time	Activity
53.			The Assistant Team Leader from Location #4 reports to the Team Leader at each location passed as he/she rides north on I-65 SB in DPS vehicle. Any additional or unresolved problems, incidents, vehicles parked on the shoulders, etc., between the current location and the next location south are included in this verbal report. If Assistant Team Leader from Location #4 meets any southbound traffic while riding northbound on I-65 SB in a DPS vehicle, he/she will
			attempt to flag the vehicle down to redirect it. If the encountered vehicle continues southward, then the Assistant Team Leader from Location #4 will notify the Team Leader at the next interchange south that there is a vehicle headed towards them.
54.			The Assistant Team Leader arrives back at Location #4 via DPS vehicle.
***	Steps not included in this checklist: 55 thru 56		
57.			The Team Leader reports to the Mobile Area Maintenance Engineer that the Assistant Team Leader from Location #4 has returned via DPS vehicle and summarizes any traffic problems reported for the segment between Location #3 and Location #4.
***	Steps	not include	ed in this checklist: 58
59.			After handling any problems reported, the Team Leader reports to the Mobile Area Maintenance Engineer that the segment between Location #3 and #4 is clear and ready for reverse laning.
***	Steps	not include	ed in this checklist: 60 thru 66
67.			The Mobile Area Maintenance Engineer notifies the Team Leader that traffic is now moving northward on I-65 South.
***	Steps	not include	ed in this checklist: 68 thru 79
80.			The Team Leader notifies the Mobile Area Maintenance Engineer when the initial wave of reversed direction traffic from Initial Crossover reaches his/her location.
81.			The Team Leader and Assistant Team Leader remain at their assigned location and respond as needed while traffic moves northward. Vehicles desiring to exit the reversed traffic lanes will be permitted to do so by the temporary removal of the traffic barricades from the ramps as needed.



Location #4 - Exit 37 Date Printed: 06/16/22

<u>Co</u>	mpleted	Date/Time	Activity
82.			The Team Leader and Assistant Team Leader monitor traffic at their assigned location. As needed, the Team Leader advises the Mobile Area Maintenance Engineer on the status of traffic. In addition, they report traffic information when contacted by the Central Office.
***	Steps	not include	ed in this checklist: 83 thru 88
89.			The Mobile Area Maintenance Engineer notifies the Team Leader when the reverse laning plan is to be terminated.
***	Steps	not include	ed in this checklist: 90 thru 97
98.			If an obstruction is encountered by the Assistant Team Leader from Location #1, the Division Maintenance Engineer will contact each Team Leader north of the obstruction, advise him/her that the Assistant Team Leader from Location #1 will be delayed and then relay to him/her the obstruction type, location and estimated clearance time.
99.			If the Assistant Team Leader from Location #1 encounters an obstruction to the contraflow travelway, the Mobile Area Maintenance Engineer may dispatch the Assistant Team Leader from this location to travel northbound on the contraflow lanes. If dispatched, the Assistant Team Leader from this location should be prepared to travel to the North Terminus.
100.			The dispatched Assistant Team Leader from this location scouts for additional travelway obstructions as he/she travels north. He/she does not contact the Team Leaders as each interchange is passed. He/she instead updates the appropriate Area Maintenance Engineer when reaching each interchange. If a travelway obstruction is found, he/she notifies the appropriate Area Maintenance Engineer, describes the obstruction and waits there.
***	Steps	not include	ed in this checklist: 101 thru 102
103.			The Team Leader is contacted by the Assistant Team Leader from Location #1 trailing the end of the reversed traffic when he/she passes the Team Leader's location.
104.			The Team Leader notifies the Mobile Area Maintenance Engineer that the DOT trailing vehicle has passed his/her location and that termination of the reverse laning plan is beginning for this location.
***	Steps	not include	ed in this checklist: 105 thru 106
107.			Traffic barricades are removed from the on-ramp for I-65 South.



Location #4 - Exit 37 Date Printed: 06/16/22

<u>Co</u>	<u>mpleted</u>	<u>Date/Time</u>	Activity
108.			Traffic control devices and signs are taken down, moved, covered and/or flipped up.
***	Steps	not include	d in this checklist: 109 thru 111
112.			The Team Leader, Assistant Team Leader and State Troopers remain at assigned locations until released by the Mobile Area Maintenance Engineer to prevent traffic from operating in contraflow mode.
***	Steps	not include	d in this checklist: 113
114.			The Mobile Area Maintenance Engineer notifies the Team Leader to release the DOT personnel from their assigned location.
***	Steps	not include	d in this checklist: 115 thru 116
*** End of Check List ***			

