# **MSDS** MATERIAL SAFETY DATA SHEET **EnviroPam**

Date: 11/08/10 Page 1 of 3

## CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Company Information: Innovative Turf Solutions** 3318 Glenmont Lane Cincinnati, OH 45248 513.317.8311

www.innovativeturfsolutions.com

**ENVIROPAM** Product Name

Linear anionic water soluble polymer Chemical Family

**Emergency Telephone** 216-475-8488

**HAZARDOUS INGREDIENTS** 

**HMIS Rating** H1

F1

RΟ

**FIRST AID** 

Skin Wash with warm soapy water after use. Eye contact

Immediately flush with water. If irritation

continues, consult a physician. If dust is present, do not breathe. Move to Inhalation

open air with fresh air.

Ingestion Do not give any medication unless specified

by a physician.

FIRE FIGHTING MEASURES

Flash Point N/A LEL N/A **EUL** N/A

Use water, carbon dioxide, foam. Extinguishing Media Special precautions Material is slippery when wet

Special Protective None

Equipment

# MSDS MATERIAL SAFETY DATA SHEET ENVIROPAM

ACCIDENTAL RELEASE

Spilled material is very slippery when wet. Do not initially flush with water. Sweep up spills and place in airtight container for disposal. Flush area thoroughly with water, scrub and remove any residue.

HANDLING AND STORAGE

Storage Store in a cool dry location.

Keep from freezing.

Handling Practice good industrial hygiene.

Immediately sweep up any spills. To avoid potential dust, maintain good housekeeping. Do not smoke when using. Avoid contact with skin.

PERSONAL PROTECTION

Respiratory Protection Use NIOSH approved respirator if not properly

ventilated and dust accumulation is more than 15 mg/m3.

Protective Gloves Recommended if prolonged use of product.

Eye Protection Goggles with side shield

Skin/Body Protection No special suits required, only if splashing is likely.

Other Wash affected areas after use.

PHYSICAL/CHEMICAL PROPERTIES

Appearance and color White granular

 $\begin{array}{ccc} \text{Odor} & & \text{None} \\ \text{pH} & & \text{N/A} \\ \text{Melting Point} & & \text{N/A} \end{array}$ 

Flash Point Does not flash.

Vapor Density N/A

Auto ignition Does not ignite.

**STABILITY** 

Stability Stable

Polymerization Will not occur

Conditions to avoid None

Incompatible Material Strong oxidizing agents. Thermal decomposition may

produce Nitrogen oxides.

**TOXICOLOGICAL** 

Inhalation Non toxic by inhalation

Dermal Non toxic

Oral LD 50 Acute oral on rats> 5.0gm/Kg.

# MSDS MATERIAL SAFETY DATA SHEET ENVIROPAM

#### **IRRITATION**

Eyes Tests by Draize showed the material does not produce

Corneal or iridial effects. Only slight conjuctival effects,

This is similar to all materials in granular form.

Skin Non irritating Prolonged skin contact can produce dermatitis.

Sensitization Product not expected to be sensitizing.

#### **ECOLOGICAL**

Fish LC/50/Pimephales Promelas 96 hr>4000 mg/L (OECD 203)
Algae IC/50/Scenedesmus subspicatis/72hr> 500mg/L (OECD 201)
Daphnia LC/50/daphnia magna/48hr> 5000mg/L (OCED 202)

Persistence/degradability Not readily biodegradable.

#### **DISPOSAL**

Unused Product: Dispose in accordance with city, state and federal regulations. Package: When in compliance with local regulations, container can be

incinerated or land filled.

#### REGULATORY

Components are on TSCA and Canada DSL. Considered non hazardous under 29 CFR 1910.1200. Complies and Certified with NSF International ANSI / NSF 60,

Drinking Water treatment Chemicals – Health Effects.

RCRA Status Not a hazardous waste

Hazardous Waste Number
Reportable Quantity (40CFR 302)
Not applicable
Threshold planning Quantity (40CFR 335)
Not applicable

This information is given without any warranty or representation. We do not assume any legal responsibility for same. It is offered solely for your consideration, investigation and verification. Before using any product, read its label.



3318 Glenmont Ln, Cincinnati, OH 45248 Cell: 513-317-8311 Fax: 513-672-9633 www.innovativeturfsolutions.com

# **EnviroPam**

EnviroPam is a safe, non-toxic linear anionic polymer that binds hydroseeding media to the soil particles, helps maintain soil structure and reduces soil erosion. EnviroPam retains moisture creating a better seed germination environment and establishment. It will not clog in the tank, clogging the spray nozzle. EnviroPam lubricates the slurry mix and tightens the slurry stream and will increase shooting distance. EnviroPam can be used as a temporary dust abatement and as a temporary soil stabilizer to protect against erosion. It can be applied through hydraulic equipment for clarifying sediment/holding ponds.

EnviroPam meets ANSI/NSF Standard 60 drinking water requirements. EnviroPam is compatible with biostimulants, fertilizers and surfactants.

## Renefits and Features.

Economical and easy to apply
Reduces erosion
Provides for better seed germination environment
Bonds hydroseeding matrix to soil particles
Dust Control
Flocculant
Improves soil by increasing soil porosity and water infiltration
Compatible with other hydroseeding amendments

#### Uses:

Construction Sites
Mine Tailings
Refuse Sites
Reforestation and Revegetaion
Landfill Cappings



3318 Glenmont Ln, Cincinnati, OH 45248 Cell: 513-317-8311 Fax: 513-672-9633 www.innovativeturfsolutions.com

# **Application Rates:**

Slope: Flat 4:1 3:1 2:1 1:1 Lbs./Acre 5 7 9 12 15

## Packaging:

55 lb. Bags/40 per pallet

2x15 lb. Jugs per case/36 cases per pallet

6 lb. Pail/72 pails per pallet

6x3 lb. Jugs per case/36 cases per pallet

8x5 lb. Bags per case/36 cases per pallet

## **Product Characteristics**

Chemical: Anionic linear copolymer of acrylamide

Appearance: White granular

Maximum Concentration: 5g/l

Viscosity: 2410 cps

Biodegration: Not readily biodegradeable

Residual Acrylamide <500 ppm

Data on application rates is provided for information purposes only. Application rates may vary according to soil conditions, and slope. No statement contained herein is to be construed to constitute the permission, recommendation or encouragement of any use or application that may infringe on patents now or hereinafter in existence. NO WARRANTY OF MERCHANTABILITY OR WARRANTY OF SUITABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE BY INNOVATIVE TURF SOLUTIONS. No warranty, express or implied, is made by INNOVATIVE TURF SOLUTIONS except as may be provided in the Sales Contract or Invoice applicable to the goods in question.